According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 1 of 9

AP120 Metal Prep

SECTION 1: Identification

Product identifier

Product name: AP120 Metal Prep

Product code: 40020



Recommended use of the product and restriction on use

Relevant identified uses: Metal Prep

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States P.O.R. Products 38 Portman Road New Rochelle, NY 10801 914-636-0700

Emergency telephone number:

United States ChemTel Inc.

+1 800 255 3924

+1 813 248 0585

SECTION 2: Hazard(s) identification

GHS classification:

Eye irritation, category 2A Skin irritation, category 2 Carcinogenicity, category 2

Label elements

Hazard pictograms:





Signal word: Warning

Hazard statements:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H351 Suspected of causing cancer.

Precautionary statements:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 2 of 9

AP120 Metal Prep

P337+P313 If eye irritation persists get medical advice/attention

P321 Specific treatment (see first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention

P362+P364 Take off contaminated clothing and wash it before reuse.

P308+P313 If exposed or concerned: Get medical advice/attention

P405 Store locked up.

P501 Dispose of contents/container according to local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 111-76-2	2-Butoxyethanol	<0.5
CAS number: 139-89-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt	2-5
CAS number: 5064-31-3	Trisodium nitrilotriacetate	<0.5

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Take off all contaminated clothing

Gently blot or brush away excess product

Wash with plenty of lukewarm, gently flowing water

Get medical advice if skin irritation occurs or you feel unwell

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 3 of 9

AP120 Metal Prep

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Not determined or not applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 4 of 9

AP120 Metal Prep

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	2-Butoxyethanol	111-76-2	ACGIH TLV TWA: 20 ppm
United States (OSHA)	2-Butoxyethanol	111-76-2	OSHA PEL TWA 50 ppm (240 mg/m³)
NIOSH	2-Butoxyethanol	111-76-2	NIOSH REL TWA 5 ppm (24 mg/m³)
Australia	2-Butoxyethanol	111-76-2	TWA: 96.9 mg/m³ (20 ppm); STEL: 242 mg/m³ (50 ppm)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear Liquid
Odor	Very Mild
Odor threshold	Not determined or not available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 5 of 9

AP120 Metal Prep

рН	10.1
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	No Flash Point
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	1.02 g/mL
Relative density	Not determined or not available.
Solubilities	Miscible in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

VOC Content	4.7 g/L (Theoretical method)

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 6 of 9

AP120 Metal Prep

Name	Route	Result
Hydroxyethylethylenediaminetr iacetic acid, trisodium salt	oral	LD50 Rat: 1,780 mg/kg
Trisodium nitrilotriacetate	oral	LD50 Rat: 1,470 mg/kg
2-Butoxyethanol	oral	LD50 - Rat - 470 mg/kg
	dermal	LD50 - Rabbit - 220 mg/kg
	inhalation	LC50 - Rat - 450 ppm - 4H

Skin corrosion/irritation

Assessment: Causes skin irritation

Product data:
No data available.
Substance data:

Name	Result
2-Butoxyethanol	Irritating to the skin.

Serious eye damage/irritation

Assessment: Causes serious eye irritation

Product data:
No data available.
Substance data:

Name	Result
Hydroxyethylethylenediaminetr iacetic acid, trisodium salt	Corrosive effect on the eyes.
Trisodium nitrilotriacetate	Irritating to the eyes.
2-Butoxyethanol	Irritating effect on the eyes.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Suspected of causing cancer

Product data: No data available.

Substance data:

Name	Species	Result
Trisodium nitrilotriacetate		Suspected of causing cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
Trisodium nitrilotriacetate	Group 2B

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 7 of 9

AP120 Metal Prep

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:
No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Product data: No data available. **Substance data:** No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 8 of 9

AP120 Metal Prep

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

139-89-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt	Listed
5064-31-3	Trisodium nitrilotriacetate	Listed
111-76-2	2-Butoxyethanol	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

139-89-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt	Not Listed
5064-31-3	Trisodium nitrilotriacetate	Not Listed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.24.2018 Page 9 of 9

AP120 Metal Prep

CERCLA: Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

139-89-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt	Not Listed
5064-31-3	Trisodium nitrilotriacetate	Listed
111-76-2	2-Butoxyethanol	Listed

New Jersey Right to Know:

<u> </u>		
139-89-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt	Not Listed
5064-31-3	Trisodium nitrilotriacetate	Not Listed
111-76-2	2-Butoxyethanol	Listed

New York Right to Know:

139-89-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt	Not Listed
5064-31-3	Trisodium nitrilotriacetate	Not Listed
111-76-2	2-Butoxyethanol	Listed

Pennsylvania Right to Know:

139-89-9	, , , , ,	Not Listed
5064-31-3		Not Listed
111-76-2	2-Butoxyethanol	Listed

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-0-0 **HMIS:** 2-0-0

Initial preparation date: 04.24.2018

End of Safety Data Sheet