

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 1 of 13

## POR-15 OEM Bed Liner

### SECTION 1: Identification

#### Product identifier

**Product name:** POR-15 OEM Bed Liner

**Product code:** 49705, 49701 and 49704



#### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable.

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

##### Manufacturer:

##### United States

P.O.R. Products

38 Portman Road

New Rochelle, NY 10801

914-636-0700

www.PORproducts.com

#### Emergency telephone number:

##### United States

ChemTel Inc.

+1 800 255 3924

+1 813 248 0585

### SECTION 2: Hazard(s) identification

#### GHS classification:

Eye irritation, category 2A

Specific target organ toxicity - single exposure, category 3, respiratory irritation

Reproductive toxicity, category 1B

#### Label elements

##### Hazard pictograms:



**Signal word:** Danger

#### Hazard statements:

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

#### Precautionary statements:

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 2 of 13

## POR-15 OEM Bed Liner

P281 Use personal protective equipment as required.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313 If exposed or concerned: Get medical advice/attention

P405 Store locked up.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P501 Dispose of contents/container according to local regulations.

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

There are no substances or mixtures present which are classified as hazardous.

**Additional Information:** None

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Take precautions to ensure your own safety

Remove source of exposure or move person to fresh air

Get medical advice if you feel unwell or concerned

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

#### After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not applicable.

#### Delayed symptoms and effects:

Not determined or not applicable.

### Immediate medical attention and special treatment

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 3 of 13

## POR-15 OEM Bed Liner

### Specific treatment:

Not determined or not applicable.

### Notes for the doctor:

Not determined or not applicable.

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Not determined or not applicable.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

### Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

### Reference to other sections:

Not determined or not applicable.

## SECTION 7: Handling and storage

### Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 4 of 13

### POR-15 OEM Bed Liner

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	(2-Methoxymethylethoxy)propanol	34590-94-8	ACGIH TLV TWA: 100 ppm
	Silica gel, precipitated, crystalline free	112926-00-8	ACGIH TLV TWA: 10.0 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	ACGIH TLV TWA: 20 ppm
	(2-Methoxymethylethoxy)propanol	34590-94-8	ACGIH TLV STEL: 150 ppm
	Bounded Carbon Black	1333-86-4	TLV-TWA 3.0 mg/m <sup>3</sup>
	Triethylamine	121-44-8	ACGIH TLV TWA: 1 ppm
	Triethylamine	121-44-8	ACGIH TLV STEL: 3 ppm
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	8-Hour Exposure Limit (TLV-TWA): 5 mg/m <sup>3</sup> (Mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction)
1,3-Butadiene, 2-methyl-, homopolymer	9003-31-0	ACGIH TLV TWA 0.0001 mg/m <sup>3</sup> , inhalable fraction	
United States (OSHA)	Bounded Carbon Black	1333-86-4	OSHA PEL TWA 3.5 mg/m <sup>3</sup>
	Silica gel, precipitated, crystalline free	112926-00-8	OSHA PEL TWA 20 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	OSHA PEL TWA 50 ppm (240 mg/m <sup>3</sup> )
	Silica gel, precipitated, crystalline free	112926-00-8	OSHA PEL Ceiling (80 mppcf)/%SiO <sub>2</sub> mg/m <sup>3</sup>
	(2-Methoxymethylethoxy)propanol	34590-94-8	OSHA PEL TWA 100 ppm (600 mg/m <sup>3</sup> )
	Triethylamine	121-44-8	OSHA PEL TWA 25 ppm (100 mg/m <sup>3</sup> )
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	PEL: 5 mg/m <sup>3</sup> [Oil mist (Mineral)]
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	OSHA Z-1 PEL: 5 mg/m <sup>3</sup> (Mineral oil, mist)
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	OSHA Z-1 PEL: 500 ppm (Petroleum distillates (Naphtha)(Rubber solvent))
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	OSHA TWA: 5 mg/m <sup>3</sup> (Mineral oil, mist)
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	OSHA TWA: 400 ppm (Petroleum distillates (Naphtha)(Rubber solvent))
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	OSHA TWA: 1600 mg/m <sup>3</sup> (Petroleum distillates (Naphtha)(Rubber solvent))
NIOSH	Bounded Carbon Black	1333-86-4	NIOSH REL TWA 0.1 mg PAHs/m <sup>3</sup> [Carbon black in presence of polycyclic aromatic hydrocarbons (PAHs)]
	2-Butoxyethanol	111-76-2	NIOSH REL TWA 5 ppm (24 mg/m <sup>3</sup> )
	(2-Methoxymethylethoxy)propanol	34590-94-8	NIOSH REL TWA 100 ppm (600 mg/m <sup>3</sup> )
	Bounded Carbon Black	1333-86-4	NIOSH REL TWA 3.5 mg/m <sup>3</sup> Ca

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 5 of 13

## POR-15 OEM Bed Liner

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	(2-Methoxymethylethoxy)propanol	34590-94-8	NIOSH REL ST 150 ppm (900 mg/m <sup>3</sup> )
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	REL (for up to a 10-hour workday during a 40-hour workweek): 5 mg/m <sup>3</sup> [Oil mist (Mineral)]
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	STEL: 10 mg/m <sup>3</sup> [Oil mist (Mineral)]
	Silica gel, precipitated, crystalline free	112926-00-8	REL (for up to a 10-hour workday during a 40-hour workweek): 6 mg/m <sup>3</sup>
	Silica gel, precipitated, crystalline free	112926-00-8	IDLH: 3000 mg/m <sup>3</sup>
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	STEL: 10 mg/m <sup>3</sup> (Mineral oil, mist)
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	NIOSH Immediately dangerous to life or health (IDLH) concentration: 2500 mg/m <sup>3</sup> (Mineral oil, mist)
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	NIOSH Recommended exposure limit (REL) [for up to a 10-hour workday during a 40-hour workweek]: 350 mg/m <sup>3</sup> (Petroleum distillates, naphtha)
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	NIOSH Ceiling: 1800 mg/m <sup>3</sup> (Petroleum distillates, naphtha)
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	NIOSH Ceiling time period: 15-min (Petroleum distillates, naphtha)
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	NIOSH Immediately dangerous to life or health (IDLH) concentration: 1100 ppm (Petroleum distillates, naphtha)
WEEL	N-methyl-2-pyrrolidone	872-50-4	WEEL TWA 10.0 ppm
	Propane-1,2-diol	57-55-6	WEEL TWA 10.0 mg/m <sup>3</sup>

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 6 of 13

## POR-15 OEM Bed Liner

(where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

- Avoid contact with skin, eyes and clothing.
- Wash hands before breaks and at the end of work.
- Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Black liquid.
<b>Odor</b>	Latex paint.
<b>Odor threshold</b>	Not determined or not available.
<b>pH</b>	Not determined or not available.
<b>Melting point/freezing point</b>	Not determined or not available.
<b>Initial boiling point/range</b>	> 212° F.
<b>Flash point (closed cup)</b>	> 212° F
<b>Evaporation rate</b>	Not determined or not available.
<b>Flammability (solid, gas)</b>	Not determined or not available.
<b>Upper flammability/explosive limit</b>	Not determined or not available.
<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Vapor pressure</b>	Not determined or not available.
<b>Vapor density</b>	Not determined or not available.
<b>Density</b>	8.17 lbs/gal.
<b>Relative density</b>	Not determined or not available.
<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Auto/Self-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>Dynamic viscosity</b>	3000-5000 cps.
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

### Other information

## SECTION 10: Stability and reactivity

### Reactivity:

Does not react under normal conditions of use and storage.

### Chemical stability:

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid:

None known.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 7 of 13

## POR-15 OEM Bed Liner

### Incompatible materials:

None known.

### Hazardous decomposition products:

None known.

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Route	Result
Triethylamine	oral	LD50 - Rat - 460 mg/kg
2-Butoxyethanol	oral	LD50 - Rat - 470 mg/kg
	dermal	LD50 - Rabbit - 220 mg/kg
	inhalation	LC50 - Rat - 450 ppm - 4H
N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	oral	LD50 - Rat - 893 mg/kg

### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

#### Substance data:

Name	Result
N-methyl-2-pyrrolidone	Irritating to the skin.
Triethylamine	Corrosive to the skin.
2-Butoxyethanol	Irritating to the skin.

### Serious eye damage/irritation

**Assessment:** Causes serious eye irritation

#### Product data:

No data available.

#### Substance data:

Name	Result
N-methyl-2-pyrrolidone	Irritating effect on the eyes.
2-Butoxyethanol	Irritating effect on the eyes.

### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

#### Substance data:

Name	Result
N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	May cause an allergic skin reaction.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 8 of 13

## POR-15 OEM Bed Liner

**Product data:** No data available.

### Substance data:

Name	Species	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Not applicable.	The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.
Bounded Carbon Black	Not applicable.	The carcinogenic classification only applies to airborne, unbound particles of respirable size.

### International Agency for Research on Cancer (IARC):

Name	Classification
Silica gel, precipitated, crystalline free	Group 3 - Not classifiable as to its carcinogenicity to humans
Bounded Carbon Black	Group 2B - Possibly carcinogenic to humans
1,3-Butadiene/styrene copolymers	Group 3
1,3-Butadiene, 2-methyl-, homopolymer	Group 3 - Not classifiable as to its carcinogenicity to humans

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** May damage fertility or the unborn child

#### Product data:

No data available.

#### Substance data:

Name	Result
N-methyl-2-pyrrolidone	May cause developmental toxicity.

### Specific target organ toxicity (single exposure)

**Assessment:** May cause respiratory irritation

#### Product data:

No data available.

#### Substance data:

Name	Result
N-methyl-2-pyrrolidone	May cause respiratory irritation.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 9 of 13

## POR-15 OEM Bed Liner

No data available.

**Substance data:** No data available.

### Information on likely routes of exposure:

No data available.

### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### Other information:

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result
N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	LC50 - Oryzias latipes - 0.028 mg/L - 96 h
	EC50 - Daphnia magna (Water flea) - 0.23 mg/L - 48 h

### Chronic (long-term) toxicity

**Product data:** No data available.

#### Substance data:

Name	Result
N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	NOEC - Oryzias latipes - 0.004 mg/L - 30 d
	NOEC - Daphnia magna (Water flea) - 0.028 mg/L - 21 d

### Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:** No data available.

### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 10 of 13

## POR-15 OEM Bed Liner

Special precautions for user	None
------------------------------	------

### International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

## SECTION 15: Regulatory information

### United States regulations

#### Inventory listing (TSCA):

7732-18-5	Water	Listed
34590-94-8	(2-Methoxymethylethoxy)propanol	Listed
872-50-4	N-methyl-2-pyrrolidone	Listed
121-44-8	Triethylamine	Listed
29911-28-2	1-(2-butoxy-1-methylethoxy)propan-2-ol	Listed
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	Listed
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Listed
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	Listed
68441-17-8	Ethene, homopolymer, oxidized	Listed
112926-00-8	Silica gel, precipitated, crystalline free	Not Listed
126-86-3	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Listed
111-76-2	2-Butoxyethanol	Listed
57-55-6	Propane-1,2-diol	Listed
1333-86-4	Bounded Carbon Black	Listed
9003-17-2	(E)-But-2-ene	Listed
9003-55-8	1,3-Butadiene/styrene copolymers	Listed
9003-31-0	1,3-Butadiene, 2-methyl-, homopolymer	Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Listed
793-24-8	N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	Listed

**Significant New Use Rule (TSCA Section 5):** Not determined.

**Export notification under TSCA Section 12(b):** Not determined.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 11 of 13

## POR-15 OEM Bed Liner

**SARA Section 302 extremely hazardous substances:** Not determined.

**SARA Section 313 toxic chemicals:**

872-50-4	N-methyl-2-pyrrolidone	Not Listed
121-44-8	Triethylamine	Not Listed
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	Not Listed
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Not Listed
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	Not Listed
68441-17-8	Ethene, homopolymer, oxidized	Not Listed
112926-00-8	Silica gel, precipitated, crystalline free	Not Listed
126-86-3	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not Listed
1333-86-4	Bounded Carbon Black	Not Listed
9003-17-2	(E)-But-2-ene	Not Listed
9003-55-8	1,3-Butadiene/styrene copolymers	Not Listed
9003-31-0	1,3-Butadiene, 2-methyl-, homopolymer	Not Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Not Listed
793-24-8	N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	Not Listed

**CERCLA:** Not determined.

**RCRA:** Not determined.

**Section 112(r) of the Clean Air Act (CAA):** Not determined.

**Massachusetts Right to Know:**

64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	Listed
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Listed
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	Not Listed
68441-17-8	Ethene, homopolymer, oxidized	Not Listed
112926-00-8	Silica gel, precipitated, crystalline free	Listed
126-86-3	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not Listed
111-76-2	2-Butoxyethanol	Listed
1333-86-4	Bounded Carbon Black	Listed
9003-17-2	(E)-But-2-ene	Not Listed

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 12 of 13

### POR-15 OEM Bed Liner

9003-55-8	1,3-Butadiene/styrene copolymers	Not Listed
9003-31-0	1,3-Butadiene, 2-methyl-, homopolymer	Not Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Listed
793-24-8	N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	Not Listed

#### New Jersey Right to Know:

64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	Listed
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Listed
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	Not Listed
68441-17-8	Ethene, homopolymer, oxidized	Not Listed
112926-00-8	Silica gel, precipitated, crystalline free	Listed
126-86-3	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not Listed
111-76-2	2-Butoxyethanol	Listed
1333-86-4	Bounded Carbon Black	Listed
9003-17-2	(E)-But-2-ene	Not Listed
9003-55-8	1,3-Butadiene/styrene copolymers	Not Listed
9003-31-0	1,3-Butadiene, 2-methyl-, homopolymer	Not Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Listed
793-24-8	N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	Not Listed

#### New York Right to Know:

64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	Not Listed
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Not Listed
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	Not Listed
68441-17-8	Ethene, homopolymer, oxidized	Not Listed
112926-00-8	Silica gel, precipitated, crystalline free	Not Listed
126-86-3	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not Listed
111-76-2	2-Butoxyethanol	Listed
1333-86-4	Bounded Carbon Black	Not Listed
9003-17-2	(E)-But-2-ene	Not Listed
9003-55-8	1,3-Butadiene/styrene copolymers	Not Listed

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.10.2018

Page 13 of 13

## POR-15 OEM Bed Liner

9003-31-0	1,3-Butadiene, 2-methyl-, homopolymer	Not Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Not Listed
793-24-8	N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	Not Listed

### Pennsylvania Right to Know:

64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	Listed
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Listed
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	Not Listed
68441-17-8	Ethene, homopolymer, oxidized	Not Listed
112926-00-8	Silica gel, precipitated, crystalline free	Listed
126-86-3	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not Listed
111-76-2	2-Butoxyethanol	Listed
1333-86-4	Bounded Carbon Black	Listed
9003-17-2	(E)-But-2-ene	Not Listed
9003-55-8	1,3-Butadiene/styrene copolymers	Not Listed
9003-31-0	1,3-Butadiene, 2-methyl-, homopolymer	Not Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Listed
793-24-8	N-1,3-dimethylbutyl-N'-phenyl-p-phenylenediamine	Not Listed

### California Proposition 65:

**⚠ WARNING:** This product can expose you to Carbon Black, which is known to the State of California to cause cancer, and N-methyl-2-pyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 2-0-0

**HMIS:** 2-0-0

**Initial preparation date:** 12.10.2018

**End of Safety Data Sheet**